ELSEVIER

Journal of Computational and Applied Mathematics 139 (2002) 369–370

JOURNAL OF COMPUTATIONAL AND APPLIED MATHEMATICS

www.elsevier.com/locate/cam

Author Index Volume 139 (2002)

Alzer, H., Inequalities for the constants of Landau and Lebesgue 215–230

Balasubramanian, R., S. Ponnusamy and **M. Vuorinen,** On hypergeometric functions and function spaces 299–322
Ben-Israel, A. see **Levin, Y.** 197–213
Brown, B.M. and **M.S.P. Eastham,** On the location of resonances of exponentially decaying Sturm–Liouville potentials 163–171

Cui, M., A sufficient condition for the convergence of the inexact Uzawa algorithm for saddle point problems 189–196

de Bruin, M.G. see **Meijer, H.G.** 253–274
Doha, E.H., On the coefficients of integrated expansions and integrals of ultraspherical polynomials and their applications for solving differential equations 275–298

Eastham, M.S.P. see **Brown, B.M.** 163–171

Fang, Q., T. Tsuchiya and **T. Yamamoto,** Finite difference, finite element and finite volume methods applied to two-point boundary value problems 9– 19

Gautschi, W., Gauss quadrature approximations to hypergeometric and confluent hypergeometric functions 173–187

Han, G. and **R. Wang,** Richardson extrapolation of iterated discrete Galerkin solution for two-dimensional Fredholm integral equations 49– 63
He, M.X. and **P.E. Ricci,** Differential equation of Appell polynomials via the factorization method 231–237

Kokkorakis, G.C. and **J.A. Roumeliotis,** Power series expansions for spheroidal wave functions with small arguments 95–127
Koulorizos, P. and **N. Samaris,** The Landau problem for nonvanishing functions with real coefficients 129–139

Levin, Y., M. Nediak and **A. Ben-Israel,** A direct Newton method for calculus of variations 197–213
Li, W.-T. and **S. Zhang,** Classifications and existence of positive solutions of higher order nonlinear iterative functional differential equations 351–367

Meek, D.S. and **D.J. Walton,** Planar G^2 Hermite interpolation with some fair, C-shaped curves 141–161
Meijer, H.G. and **M.G. de Bruin,** Zeros of Sobolev orthogonal polynomials following from coherent pairs 253–274
Melenk, J.M., On condition numbers in *hp*-FEM with Gauss–Lobatto-based shape functions 21– 48
Mukaihira, A. and **Y. Nakamura,** Schur flow for orthogonal polynomials on the unit circle and its integrable discretization 75– 94

Nakamura, Y. see **Mukaihira, A.** 75– 94
Nediak, M. see **Levin, Y.** 197–213

Petersen, V. and **H. Waadeland,** A case of Toeplitz determinants and theta functions in frequency analysis 239–251
Ponnusamy, S. see **Balasubramanian, R.** 299–322

Ricci, P.E. see **He, M.X.** 231–237
Roumeliotis, J.A. see **Kokkorakis, G.C.** 95–127

Samaris, N. see **Koulorizos, P.** 129–139
Sugita, H., Robust numerical integration and pairwise independent random variables 1– 8

Tidriri, M.D., Analysis of the hybrid finite element/finite volume methods for linear hyperbolic and convection-dominated convection–diffusion problems 323–350
Tsuchiya, T. see **Fang, Q.** 9– 19

Van der Jeugt, J., Transformation formula for a double Clausenian hypergeometric series, its *q*-analogue, and its invariance group 65– 73
Vuorinen, M. see **Balasubramanian, R.** 299–322

PII: S0377-0427(01)00593-3

Waadeland, H. see **Petersen, V.** 239–251
Walton, D.J. see **Meek, D.S.** 141–161
Wnag, R. see **Han, G.** 49– 63
Yamamoto, T. see **Fang, Q.** 9– 19
Zhang, S. see **Li, W.-T.** 351–367

VOL. 139
ISS. 1
FEB 1

2002